



(8)

## T&S BRASS AND BRONZE WORKS, INC. 2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690

3 (4

5

6

Model No.

EC-3103-VF05


Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com

(9)

_			
	ITEM NO.	SALES NO.	DESCRIPTION
	1	015425-45	Vandal Resistant Key
	2	B-0199-08-N05	0.5 GPM VR Spray Device, 13/16-27 Male
	3	016297-45	Inlet Hose, Faucet, 1/2" NPSM-F x 1/4" NPSM-F
	4	016647-45	ChekPoint Electronic Module (Grey)
	5	5EF-0002	A/C Transformer
	6	5EF-0005	Supply Hose, 9/16-24 Female x 1/2" NPSM
	7	5EF-0006	Mechanical Mixing Valve
ĺ	8	017195-45	Angled Sensor w/ Cable
	9	EC-FILTER	Replacement Filter

A Maximum of (8) ChekPoint Faucets can be Hardwire Connected and Powered by EC-HARDWIRE ChekPoint Hardwire AC Transformer. (Sold Separately)



-Label for Flow Control Switch Settings is Located on Inside of Back Cover.

Flow Control Switches are Located Inside Module Housing in Black Box Next to Battery Compartment. \*Switches are Set to DEFAULT Position:

- Auto Time Out = 15 Seconds
- Shut Off Delay = 1 Second
- Auto Flush = ÓFF

Remove (4) Screws and Back Cover to Access Switches.

					1							
- Auto - Shut	Time Out: Off Delay:	: 1 sec, 10 s	sec, 45 s ec, 15 se	sec, 60 sec,	-		FF					
Product S	Specifications	:						Product Corr	pliance:			
Chrome Plated Brass Electronic Faucet: 4" Deck Mt. Spout w/ VR 0.5 GPM Non-Aerated Spray Device, AC/DC Control Module w/ Internal Flow Control Setting Switches, Temperature Control Mixing Valve w/ Check Valve & 18" Flexible Stainless Steel Supply Hoses								ASME A112.18.1 / CSA B125.1 NSF 61 - Section 9 NSF 372 (Low Lead Content) ANSI A117.1 (ADA) UL 1951				
Drawn:	AMG	Checked:	JRM	Approved:	JHB	Date:	09/10/18	Scale:	NTS	Sheet:	2 c	of 2