



U-channel fastener
 - Plastic
 - Pre-drilled holes
Model 2864US

W [in]	L [ft]	Wt [lb]	Quantity	Part No	DG
1/2	6 1/2	1.100	16	15310	4



Suspension clip tubing fasteners
 - Plastic
Model 2861US

for d	Wt [lb]	Quantity	Part No	DG
1/2	0.009	50	55020	2
3/4	0.011	50	55040	2
1	0.016	50	55060	2
1 1/4	0.022	50	55070	2
1 1/2	0.031	25	55080	2
2	0.036	25	55090	2



Tubing clamp
 - Plastic
Model 2868US

for d	Wt [lb]	Quantity	Part No	DG
2	0.044	25	56090	2



Tubing insulator
 - Plastic
 - Fits 1 3/8" hole
Model V5094

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.018	50	55100	2
1/2	0.019	50	55120	2
3/4	0.014	50	55140	2
1	0.013	50	55160	2



Zip tie
 - Plastic
Model V5097

L [in]	Wt [lb]	Quantity	Part No	DG
14	0.013	100	43714	2



Pipe support
 - Not for Viega FostaPEX
 - Steel
Model V5083

d	L [ft]	Wt [lb]	Quantity	Part No	DG
1	10	1.869	5	68430	2
1 1/4	10	2.169	5	68431	2
1 1/2	10	2.449	5	68432	2
2	10	3.109	5	68433	2



Uncoiler
 - Not for 1/2" center pull coils in 100 ft and 300 ft, 1" tubing or larger
Components
 Movable metal frame, (2) coil hubs, tube guide
Note
 Max. coil size for 3/8" and 1/2" tubing is 1000 ft.
 Max. coil size for 3/4" tubing is 500 ft.
Model V5061

Wt [lb]	Quantity	Part No	DG
70.980	1	53509	5



Multi-clip
 - Plastic
Components
 Mounting screw
Model 2867US

max d	Wt [lb]	Quantity	Part No	DG
1	0.029	100	52006	2



U-channel fastener
 - Plastic
 - Pre-drilled holes
Model 2864US

W [in]	L [ft]	Wt [lb]	Quantity	Part No	DG
1/2	6 1/2	1.100	16	15310	4



Suspension clip tubing fasteners
 - Plastic
Model 2861US

for d	Wt [lb]	Quantity	Part No	DG
1/2	0.009	50	55020	2
3/4	0.011	50	55040	2
1	0.016	50	55060	2



Tubing insulator
 - Plastic
 - Fits 1 1/8" hole
Model V5094

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.018	50	55100	2
1/2	0.019	50	55120	2
3/4	0.014	50	55140	2
1	0.013	50	55160	2



Zip tie
 - Plastic
Model V5097

L [in]	Wt [lb]	Quantity	Part No	DG
14	0.013	100	43714	2



Uncoiler
 - Not for 1/2" center pull coils in 100 ft and 300 ft, 1" tubing or larger
Components
 Movable metal frame, (2) coil hubs, tube guide
Note
 Max. coil size for 3/8" and 1/2" tubing is 1000 ft.
 Max. coil size for 3/4" tubing is 500 ft.
Model V5061

	Wt [lb]	Quantity	Part No	DG
	70.980	1	53509	5



Staple
 - Suitable for staple gun Model 2891.1US
 - Plastic
Model 2890.0US

L [in]	Wt [lb]	Quantity	Part No	DG
2½	0.003	300	15312	4



**Staple
 Foam staple gun**
 - Suitable for staple gun Model 2891.1US
 - Plastic
Model 2890.3US

L [in]	Wt [lb]	Quantity	Part No	DG
1½	0.005	300	15313	4



**Staple
 Pneumatic staple gun**
 - Suitable for pneumatic staple gun Model 2889.7US
 - Galvanized steel
Model 2889.8US

W [in]	D [in]	Wt [lb]	Quantity	Part No	DG
1	1¼	0.003	10000	21431	4



U-channel fastener
 - Plastic
 - Pre-drilled holes
Model 2864US

W [in]	L [ft]	Wt [lb]	Quantity	Part No	DG
½	6½	1.100	16	15310	4
⅝	6½	1.899	16	15311	4
¾	6½	1.300	16	15314	4



Bend support
 - For in slab applications
 - Not for Viega FostaPEX
 - Plastic
Model 2851US

for d	Wt [lb]	Quantity	Part No	DG
⅜	0.069	10	15106	4
½	0.120	10	15107	4
⅝, ¾	0.167	10	15108	4
1	0.730	1	15111	4



Repair coupling tape
 - For wrapping PEX Press fittings in a slab
 - Silicone
Model 2890.4US

W [in]	L [ft]	Wt [lb]	Quantity	Part No	DG
1	10	0.150	1	15320	4



J-clamp tubing fasteners
 - Plastic
Components
 Nail
Model 2860US

for d	Wt [lb]	Quantity	Part No	DG
⅜	0.006	100	52000	2
½	0.008	100	52020	2
¾	0.013	100	52040	2
1	0.021	100	52060	2